



QUICK Catalog SOLUTION 2025



PRODUCTS


LAN (UTP) System, SOLAR System, SECURITY & CONTROL,
FIBER OPTIC System, FTTx / FTTn System, COAXIAL (RG) System,
TELEPHONE System, NEW GERMAN RACK, LINK TEMPERED RACK, SFP,
SFP+, MEDIA CONVERTER, PoE INDUSTRIAL SWITCH



Link for the perfect Cabling




CAT 5E UTP Cable




US-9015LSZH (White)
CAT 5E UTP Enhanced CABLE, LSZH

CAT 5E F/UTP Cable




US-9035 (White)
CAT 5E F/UTP Enhanced CABLE

CAT 5E UTP OUTDOOR Cable



US-9045 (Black)
CAT 5E UTP, PE OUTDOOR
(Double Jacket)

CAT 5E UTP OUTDOOR, Drop Wire



US-9015M (Black)
CAT 5E UTP, PE OUTDOOR w/Drop Wire
(Single Jacket)

CAT 5E RJ45 PLUG



(A) **US-1001** (Transparent)
CAT 5E RJ45 PLUG, HP
(B) **US-6514** (Blue)
CAT 5E Locking Plug Boot

CAT 5E RJ45 JACK



(A) **US-1005SC1** (White)
CAT 5E RJ45 JACK, Slim
(B) **US-1005STF** (Blue)
CAT 5E RJ45 JACK, Tool Free

CAT 5E PATCH PANEL



US-3024
CAT 5E PATCH PANEL 24 PORT (1U)
w/Cable Support

CAT 5E PATCH CORD



[1, 2, 3, 5, 10, 15, 20 Meter]

US-5003LZ-4 (Blue) = 1 M.
US-5006LZ-4 (Blue) = 2 M.
US-5010LZ-4 (Blue) = 3 M.
CAT 5E RJ45-RJ45 PATCH CORD LSZH

Shiny White FACE PLATE



US-2311/12/13/14/16
SHINY FACE PLATE, 1, 2, 3, 4, 6 Ports, (White)

FACE PLATE with Icon & ID Label



US-2001AWH, US-2002AWH
FACE PLATE 1, 2 PORT
with ICON & LABEL ID, (White)

FACE PLATE with Shutter, Icon & ID Label




US-2121A, US-2122A
FACE PLATE 1, 2 PORT
with SHUTTER, ICON & LABEL ID, (White)

WALL BOX



(A) **US-2015WH**
WALL BOX 2" x 4", White (38 mm.)
(B) **US-2016**
WALL BOX 2" x 4", White (47 mm.)

Face Plate CHANGERS



(A) **US-2005**
CHANGER For Full Color Panasonic Face Plate
(B) **US-2006**
CHANGER For Wide Series Panasonic Face Plate
(C) **US-2006B**
CHANGER For Wide Series Panasonic Face Plate
(D) **US-2109**
New Clipal Face Plate

FAST JACK & PLUG TOOL



US-8061
Fast Jack and Plug Terminate Tool
(Two in one)

IMPACT TOOL



TL-3116
IMPACT TOOL with Blade

UTP CABLE TESTER




(A) **TX-1302A**
UTP CABLE QUICK SMART TESTER
(New Super-S Series)
(B) **TX-1302**
UTP Cable Tester



LAN (UTP) System CAT 6




CAT 6 UTP (250MHz) Cable



[305' M. / Reel, 100' M. / Easy Box]

US-9106A (Blue)
CAT 6 UTP w/Cross Filler, 24AWG


CAT 6 UTP, LSZH, 23AWG



[305' M. / Reel, 100' M. / Reel]

(A) **US-9106LSZH (White)**
(B) **US-9106LSZH (Blue)**
CAT 6 UTP (250 MHz)
w/Cross Filler, 23AWG, LSZH


CAT 6 UTP ULTRA (600MHz)



[305' M. / Pull Bx.]

US-9116LSZH (White)
CAT 6 UTP ULTRA (600 MHz)
w/Cross Filler, 23AWG, LSZH

CAT 6 F/UTP Cable



[305' M. / Roll]

US-9136LSZH (White)
CAT 6 F/UTP ULTRA SHIELDED
w/Cross Filler, 23AWG, LSZH

CAT 6 UTP OUTDOOR Cable



[305' M. / Pull Bx., 100' M. / Easy Box]

US-9106OUT (Black)
CAT 6 UTP PE OUTDOOR
w/Filler, 23AWG (Double Jacket)


CAT 6 UTP OUTDOOR DROPWIRE



[305' M. 100' M. / Reel In Bx.]

US-9106MD (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire (Double Jacket)

CAT 6 UTP OUTDOOR w/Power



[305' M. 100' M. / Reel In Bx.]

US-9106PW (Black)
CAT 6 UTP PE OUTDOOR
w/Power Wire Cable


CAT 6 UTP OUTDOOR w/Drop wire & Power



[305' M. 100' M. / Reel In Bx.]

US-9106MW (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire + Power Wire

CAT 6 RJ45 PLUG w/bar



A B

X = 0 (Transparent), 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow), 6 (Black)

(A) **US-1002A**
CAT 6 NEW RJ45 PLUG
Transparent Clear
(B) **US-1062A-X**
CAT6 NEW RJ45 CRYSTAL PLUG

CAT 6 Locking Plug Boot



X = 0 (Clear), 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow), 6 (Black)


US-662XA
CAT 6 NEW CRYSTAL Locking PLUG BOOT

CAT 6 RJ45 JACK, Slim White



(A) **US-1006SL**
CAT 6 RJ45 Modular Jack,
Slim, White
(B) **US-1006A**
CAT 6 RJ45 Slim White JACK
[5 Color Changeable]

CAT 6 PATCH PANEL



(A) **US-3124A**
CAT 6+ PATCH PANEL 24 PORT (1U)
w/management, Dust Cover, Labeling
(B) **US-3148A**
CAT 6+ PATCH PANEL 48 PORT (2U)
w/management, Dust Cover, Labeling

CAT 6 PATCH CORD



[1, 2, 3, 5, 10, 15, 20, 25, 30 Meter]


US-5101LZ-X (1 M.)
US-5102LZ-X (2 M.)
US-5103LZ-X (3 M.)
US-5105LZ-X (5 M.)
CAT 6 RJ45 - RJ45 Patch Cord LSZH
X = 1 (White), 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow)

CAT 6 COUPLER



US-4006IL
CAT 6 RJ45 COUPLER
[In-Line or Patch Panel Insert]

CAT 6 RJ45 CRIMP TOOL



(A) **TL-1103R**
RJ45, RJ11, HS PLUG CRIMPTOOL
(B) **TL-1101R**
PROFESSIONAL CRIMP TOOL

CAT 6 TERMINATE TOOL




TL-2106
FAST JACK TERMINATE
TOOL for CAT6 JACK
[US-1006A, Color Changeable Only]



LAN (UTP) System CAT 6




CAT 6 UTP (250MHz) Cable



[305' M. / Reel, 100' M. / Easy Box]

US-9106A (Blue)
CAT 6 UTP w/Cross Filler, 24AWG


CAT 6 UTP, LSZH, 23AWG



[305' M. / Reel, 100' M. / Reel]

(A) **US-9106LSZH (White)**
(B) **US-9106LSZH (Blue)**
CAT 6 UTP (250 MHz)
w/Cross Filler, 23AWG, LSZH


CAT 6 UTP ULTRA (600MHz)



[305' M. / Pull Bx.]

US-9116LSZH (White)
CAT 6 UTP ULTRA (600 MHz)
w/Cross Filler, 23AWG, LSZH

CAT 6 F/UTP Cable



[305' M. / Roll]

US-9136LSZH (White)
CAT 6 F/UTP ULTRA SHIELDED
w/Cross Filler, 23AWG, LSZH

CAT 6 UTP OUTDOOR Cable



[305' M. / Pull Bx., 100' M. / Easy Box]

US-9106OUT (Black)
CAT 6 UTP PE OUTDOOR
w/Filler, 23AWG (Double Jacket)


CAT 6 UTP OUTDOOR DROPWIRE



[305' M, 100' M / Reel In Bx.]

US-9106MD (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire (Double Jacket)

CAT 6 UTP OUTDOOR w/Power



[305' M, 100' M / Reel In Bx.]

US-9106PW (Black)
CAT 6 UTP PE OUTDOOR
w/Power Wire Cable


CAT 6 UTP OUTDOOR w/Drop wire & Power



[305' M, 100' M / Reel In Bx.]

US-9106MW (Black)
CAT 6 UTP PE OUTDOOR
w/Drop Wire + Power Wire

CAT 6 NEW RJ45 PLUG



Transparent X = 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow), 6 (Black)

(A) **US-1002A**
CAT 6 NEW RJ45 PLUG
Transparent Clear
(B) **US-1062A-X**
CAT 6 NEW RJ45 CRYSTAL PLUG

CAT 6 NEW Locking Plug Boot



X = 0 (Clear), 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow), 6 (Black)


US-662XA
CAT 6 NEW CRYSTAL Locking PLUG BOOT

CAT 6 RJ45 JACK, Slim White



(A) **US-1006SL**
CAT 6 RJ45 Modular Jack,
Slim, White
(B) **US-1006A**
CAT 6 RJ45 Slim White JACK
[5 Color Changeable]

CAT 6 PATCH PANEL



(A) **US-3124A**
CAT 6+ PATCH PANEL 24 PORT (1U)
w/management, Dust Cover, Labeling
(B) **US-3148A**
CAT 6+ PATCH PANEL 48 PORT (2U)
w/management, Dust Cover, Labeling

CAT 6 PATCH CORD



[1, 2, 3, 5, 10, 15, 20, 25, 30 Meter]

US-5101LZ-X (1 M.)
US-5102LZ-X (2 M.)
US-5103LZ-X (3 M.)
US-5105LZ-X (5 M.)
CAT 6 RJ45 - RJ45 Patch Cord LSZH
X = 1 (White), 2 (Red), 2 (Green), 4 (Blue), 5 (Yellow)

CAT 6 COUPLER



US-4006IL
CAT 6 RJ45 COUPLER
[In-Line or Patch Panel Insert]

CAT 6 RJ45 CRIMP TOOL




(A) **TL-1103R**
RJ45, RJ11, HS PLUG CRIMPTOOL
(B) **TL-1101R**
PROFESSIONAL CRIMP TOOL

CAT 6 TERMINATE TOOL



TL-2106
FAST JACK TERMINATE
TOOL for CAT6 JACK
[US-1006A, Color Changeable Only]


CAT 6A $\equiv$ UTP **US-9156ALSZH**



[305' M. / Pull In Box.]

US-9156ALSZH (Aqua Blue)
CAT 6A UTP SUPER-S SERIES, LSZH


CAT6A $\equiv$ UTP SUPER XG (750 MHz)



[305' M. / Roll]

US-9146LSZH (Aqua Blue)
CAT 6A UTP SUPER XG (750 MHz), LSZH


CAT6A $\equiv$ SHIELDED U/FTP (500 MHz)



[305' M. / Roll]

US-9256LSZH (Aqua Blue)
CAT 6A U/FTP XG (500 MHz), LSZH

CAT6A $\equiv$ SHIELDED F/FTP (650 MHz)



[305' M. / Roll, 100' M. / Easy Box]

US-9266LSZH (Aqua Blue)
CAT 6A F/FTP SUPER XG (650 MHz), LSZH

HYBRID RJ45 CAT6A $\equiv$ PLUG



[Use TL-1106AGA Crimp Tool only]

US-1070SG (w/Clear Boot)
CAT 6A RJ45 GOLD PLUG
(UTP / SHIELDED HYBRID)

CAT 6A $\equiv$ UTP PATCH PANEL 24 Port



US-3226A
CAT 6A UTP STAGGERED
PATCH PANEL 24 Port, Super-S
w/Cable Management (Staggered)

CAT 6A $\equiv$ RJ45 UTP JACK



US-1026A
CAT 6A UTP SUPER-S
RJ45 JACK, FREE DIECTION

CAT 6A $\equiv$ UTP PATCH CORD



[0.5, 1, 2, 3, 5, 10 M.]

US-52XXALZ-9
UTP CAT 6A PATCH CORD
(Super-S Series)
(XX=00,01,02,03,05,10)


Shilded RJ45 CAT6A $\equiv$ PLUG



[Field Terminate w/o Tool]


US-1071S
Shielded CAT 6A RJ45 PLUG, TOOL FREE

Shilded CAT 6A $\equiv$ PATCH PANEL



US-3324S (Panel + Jack Staggered)
Shielded CAT 6A 24 Port, Auto Shutter
w/Cable Management (Staggered)


Shilded CAT6A $\equiv$ Auto Shutter JACK



[Field Terminate w/o Tool]

US-1034TFAS
Shielded CAT 6A RJ45 PLUG, TOOL FREE,
Auto Shutter

CAT 6A $\equiv$ FACE PLATE



(A) **US-2121A / US-2122A**
FACE PLATE 1, 2 PORT w/Shutter
(B) **US-2342A**
ANGLE FACE PLATE 2 PORT w/label

Shield CAT 6A $\equiv$ COUPLER



US-4007SIL
Shield CAT 6A In-Line COUPLER,
(Usable for Patch Panel)

CAT 6A $\equiv$ PATCH CORD



[1, 2, 3, 5, 10, 15, 20, 25 Meter]

US-5201SLZ-9 (Aqua Blue)
US-5201SLZ-1 (White)
Shield CAT 6A RJ45-RJ45
PATCH CORD, XG, LSZH

HYBRID RJ45 CAT6A $\equiv$ PLUG



[Use TL-1106AGA Crimp Tool only]

US-1070SG (w/Clear Boot)
CAT 6A RJ45 GOLD PLUG
(UTP / SHIELDED HYBRID)


CRIMP TOOL



[CAT6A PLUG Only]

TL-1106AGA
CRIMP TOOL for HYBRID CAT 6A GOLD PLUG
(New Black/Blue)


CAT 6A $\equiv$ UTP



[305' M. / Pull In Box.]

US-9156ALSZH (Aqua Blue)
CAT 6A UTP SUPER-S SERIES, LSZH


CAT6A $\equiv$ UTP SUPER XG (750 MHz)



[305' M. / Roll]

US-9146LSZH (Aqua Blue)
CAT 6A UTP SUPER XG (750 MHz), LSZH


CAT6A $\equiv$ SHIELDED U/FTP (500 MHz)



[305' M. / Roll]

US-9256LSZH (Aqua Blue)
CAT 6A U/FTP XG (500 MHz), LSZH

CAT6A $\equiv$ SHIELDED F/FTP (650 MHz)



[305' M. / Roll, 100' M. / Easy Box]

US-9266LSZH (Aqua Blue)
CAT 6A F/FTP SUPER XG (650 MHz), LSZH

HYBRID RJ45 CAT6A $\equiv$ PLUG



[Use TL-1106AGA Crimp Tool only]

US-1070SG (w/Clear Boot)
CAT 6A RJ45 GOLD PLUG
(UTP / SHIELDED HYBRID)

CAT 6A $\equiv$ UTP PATCH PANEL 24 Port



US-3226A
CAT 6A UTP STAGGERED
PATCH PANEL 24 Port, Super-S
w/Cable Management (Staggered)

CAT 6A $\equiv$ RJ45 UTP JACK



US-1026A
CAT 6A UTP SUPER-S
RJ45 JACK, FREE DIECTION

CAT 6A $\equiv$ UTP PATCH CORD



US-52XXALZ-9
UTP CAT 6A PATCH CORD
(Super-S Series)
(XX=00,01,02,03,05,10)


Shilded RJ45 CAT6A $\equiv$ PLUG



[Field Terminate w/o Tool]


US-1071S
Shielded CAT 6A RJ45 PLUG, TOOL FREE

Shilded CAT 6A $\equiv$ PATCH PANEL



US-3324S (Panel + Jack Staggered)
Shielded CAT 6A 24 Port, Auto Shutter
w/Cable Management (Staggered)


Shilded CAT6A $\equiv$ Auto Shutter JACK



[Field Terminate w/o Tool]

US-1034TFAS
Shielded CAT 6A RJ45 PLUG, TOOL FREE,
Auto Shutter

CAT 6A $\equiv$ FACE PLATE



(A) **US-2121A / US-2122A**
FACE PLATE 1, 2 PORT w/Shutter
(B) **US-2342A**
ANGLE FACE PLATE 2 PORT w/label

Shilded CAT 6A $\equiv$ COUPLER



US-4007SIL
Shielded CAT 6A In-Line COUPLER,
(Usable for Patch Panel)

CAT 6A $\equiv$ PATCH CORD



(1, 2, 3, 5, 10, 15, 20, 25 Meter)

US-5201SLZ-9 (Aqua Blue)
US-5201SLZ-1 (White)
Shielded CAT 6A RJ45-RJ45
PATCH CORD, XG, LSZH

HYBRID RJ45 CAT6A $\equiv$ PLUG



[Use TL-1106AGA Crimp Tool only]

US-1070SG (w/Clear Boot)
CAT 6A RJ45 GOLD PLUG
(UTP / SHIELDED HYBRID)


CRIMP TOOL



[CAT6A PLUG Only]

TL-1106AGA
CRIMP TOOL for HYBRID CAT 6A GOLD PLUG
(New Black/Blue)


SOLAR CABLE 4 mm²



[1,000' M. / Roll, 500' M. / Roll, 100' M. / Easy Box]

- (A) **CB-1040AB**: PV Solar 4 mm², Black
(B) **CB-1040AR**: PV Solar 4 mm², Red


SOLAR CABLE 6 mm²



[1,000' M. / Roll, 500' M. / Roll, 100' M. / Easy Box]

- (A) **CB-1060AB**: PV Solar 6 mm², Black
(B) **CB-1060AR**: PV Solar 6 mm², Red

SOLAR CABLE 10 mm²



[1,000' M. / Roll]

- (A) **CB-1100AB**: PV Solar 10 mm², Black
(B) **CB-1100AR**: PV Solar 10 mm², Red

GROUND WIRE CABLE



[100' M. / Roll]

- CB-1025G**: 2.5 mm², **CB-1040G**: 4 mm²
CB-1060G: 6 mm², **CB-1100G**: 10 mm²

SOLAR PATCH CORD ASSEMBLY 4 mm²




- (A) **CB-5054B-X**: PATCH CORD 4 mm², Black 3, 5, 10 M.
(B) **CB-5054R-X**: PATCH CORD 4 mm², Red 3, 5, 10 M.

SOLAR PATCH CORD PER REQUEST



- (A) **CB-5056B-xx**: BLACK 6 mm², Length xx per Request
(B) **CB-5056R-xx**: RED 6 mm², Length xx per Request

MC4 Solar CONNECTOR



- (A) **CB-1002AS**: MC4 CONNECTOR 2.5 - 6 mm² (Pair)
(B) **CB-1006A**: MC4 PANEL CONNECTOR 2.5 - 6 mm² (Pair)


TOOL for SOLAR CONNECTOR



- (A) **CB-1084**: MC4 CRIMPING TOOL
(B) **CB-1086A**: MC4 SPANNER (Pair)

SECURITY & CONTROL System


FIRE ALARM CABLE



[500 M. / Roll]

- (A) **CB-0116** (2 x 16 AWG, 1 Pair, FPL), Grade
(B) **CB-0218** (2 x 18 AWG, 1 Pair, FPL), Shielded
(C) **CB-0216** (2 x 16 AWG, 1 Pair, FPL), Shielded
(D) **CB-0214P** (2 x 14 AWG, 1 Pair, Outdoor)


FIRE RESISTANT CABLE



[500 M. / Roll, 100 M. / Roll]

- (A) **CB-0801** (Non Sheathed 1.5 mm², 1 C)
(A) **CB-0802** (Non Sheathed 2.5 mm², 1 C)
(B) **CB-0021** (Unshielded 2 x 1.5 mm², 1 Pair)
(B) **CB-0025** (Unshielded 2 x 2.5 mm², 1 Pair)


BAS CONTROL CABLE



[500 M. / Roll]

- (A) **CB-0322AA** (Shielded 2 x 22 AWG, 1 Pair)
(B) **CB-0318AA** (Shielded 2 x 18 AWG, 1 Pair)
(C) **CB-0316AA** (Shielded 2 x 16 AWG, 1 Pair)
(D) **CB-0422AA** (Shielded 4 x 22 AWG, 2 Pair)
(E) **CB-0418AA** (Shielded 4 x 18 AWG, 2 Pair)

BAS CONTROL OUTDOOR



[500 M. / Roll]

- (A) **CB-0318AP** (Shielded 2 x 18 AWG, 1 Pair)
(B) **CB-0418AP** (Shielded 4 x 18 AWG, 2 Pair)

SPEAKER CABLE



[100 M. / Spool]

- (A) **CB-0514W** (Better than VTF 2.5 mm²)
Round SPEAKER 2C, 14 AWG, 105 - Strand, White
(A) **CB-0516W** (Better than VTF 1.5 mm²)
Round SPEAKER 2C, 16 AWG, 65 - Strand, White
(B) **CB-0501** Transparent Flat Speaker 2 x 1.5 mm²
(B) **CB-0502** Transparent Flat Speaker 2 x 2.5 mm²

LIYCY CONTROL CABLE



[500 M. / Roll]

- CB-30XX**
LIYCY CONTROL CABLE
2, 4, 6, 8, 10, 16 Core
0.5 mm², 0.75 mm², 1.0 mm²


MULTICORE CONTROL CABLE



[500 M. / Roll]

- (A) **CB-0244A** (UL-2464)
Multi - Core 4 Core, Double Shielded 24 AWG
(B) **CB-0253A** (UL-2919)
Multi - Pair 4 Pair, Single Shielded, 24 AWG

CVV & CVV-S CONTROL CABLE



C = B (Black), R (Red)

[500 M. / Roll]

- CVV 2,3,4,6,8,12 C
CVV-S 2,3,4,6,8,12 C

INDOOR DISTRIBUTION



Singlemode Cable
UFC920xLSZH, OS2, 9 / 125 μ m
Multimode Cable
UFC52xLSZH, OM2, 50 / 125 μ m
UFC42xx, OM3, 50 / 125 μ m
UFC32xx, OM4, 50 / 125 μ m

OUTDOOR / INDOOR, DUCT




Singlemode Cable
UFC93xx, OS2, 9 / 125 μ m
Multimode Cable
UFC53xx, OM2, 50 / 125 μ m
UFC43xx, OM3, 50 / 125 μ m
UFC33xx, OM4, 50 / 125 μ m

OUTDOOR / INDOOR, ARMORED




Singlemode Cable
UFC93xxA, OS2, 9 / 125 μ m
Multimode Cable
UFC53xxA, OM2, 50 / 125 μ m
UFC43xxA, OM3, 50 / 125 μ m
UFC33xxA, OM4, 50 / 125 μ m

SINGLE / 3-TWISTED, DROP-WIRE



(A) **UFC95xxDSA**, OS2 9/125 μ m, Singlemode SINGLE Tube
UFC55xxDSA, OM2 50/125 μ m, Multimode SINGLE Tube
 (B) **UFC95xxMDA**, SM 9/125 μ m, Singlemode 3-TWISTED Tube

MINI ARSS, ARMORED SELF SUPPORT




UFC97xxA, SM 9/125 μ m, Singlemode MINI ARSS

ARSS, ARMORED SELF SUPPORT



UFC97xxMA, SM 9/125 μ m, Singlemode MULTI-TUBE

ADSS, ALL DIELECTRIC SELF SUPPORT



UFC97xxMH, SM 9/125 μ m, Singlemode MINI ADSS

ADSS, ALL DIELECTRIC SELF SUPPORT



UFC97xxCM, SM 9/125 μ m, Singlemode MULTI TUBE

6-36F FDU SLIDE Deep 25 cm.



(A) **UF-2010A**: 6-24F (2 Snap-In) Rack mount SLIDE, D 25 Cm.
 (B) **UF-2011A**: 6-36F (3 Snap-In) Rack mount SLIDE, D 25 Cm.

6-36F FDU DRAWER Deep 33.20 cm.




(A) **UF-2012A**: 6-24F (2 Snap-In) Rack mount DRAWER, 1U
 (B) **UF-2013A**: 6-36F (3 Snap-In) Rack mount DRAWER, 1U

6-48F FDU WALL MOUNT BOX




(A) **UF-2022A**: 6-24F (2 Snap-In) Wall Mount BOX
 (B) **UF-2024A**: 6-48F (4 Snap-In) Wall Mount BOX

FIBER OPTIC SNAP-IN ADAPTER PLATE




(A) **UF-2164SM**: 3 SC Duplex Snap-In (SM & MM)
 (A) **UF-2264SM**: 6 SC Duplex Snap-In (SM & MM)
 (B) **UF-2122SM**: 3 LC Duplex Snap-In (SM & MM)
 (B) **UF-2222SM**: 6 LC Duplex Snap-In (SM & MM)
 (C) **UF-2200**: BLANK Snap-In Adapter Plate

SC & LC FIBER CONNECTOR



(A) **UF-0005SM**: SC Simplex, SM (Blue)
 (A) **UF-0006SM**: SC Duplex, SM (Blue)
 (B) **UF-0002D**: LC Duplex, MM (Ivory)
 (B) **UF-0002DSM**: LC Duplex, SM (Blue)

SC, LC, FC, FIBER PIGTAIL




(A) **UFP960Sx1-1.5**: SC Pigtail SM/OS2, UPC, 1.50 M.
 (A) **UFP920Sx1-1.5**: LC Pigtail SM/OS2, UPC, 1.50 M.
 (A) **UFP980Sx1-1.5**: FC Pigtail SM/OS2, UPC, 1.50 M.
 (B) **UFP960S22-1.5**: SC/APC Pigtail, SM/OS2 for FTTx

ST, FC, PATCH CORD



(A) **UFP944D21-03**: ST-ST Patch Cord OS2, Duplex 3M, UPC
 (B) **UFP948D21-03**: ST-FC Patch Cord OS2, Duplex 3M, UPC
 (C) **UFP988D21-03**: FC-FC Patch Cord OS2, Duplex 3M, UPC
 (C) **UFP988D22-03**: FC-FC Patch Cord OS2, Duplex 3M, APC

SC, LC, PATCH CORD



(A) **UFP966D21-03**: SC-SC Patch Cord OS2 Duplex
 (B) **UFP962D21-03**: SC-LC Patch Cord OS2 Duplex
 (C) **UFP922D21-03**: LC-LC Patch Cord OS2 Duplex
 (D) **UFP562D21-03**: SC-LC Patch Cord OM2 Duplex
 (E) **UFP522D21-03**: LC-LC Patch Cord OM2 Duplex
 (F) **UFP462D21-03**: SC-LC Patch Cord OM3 Duplex



FTTR / FTTx System




FTTx FLAT CABLE




- (A) **UHF922x**: OVAL FTTR Super-S Cable
(B) **UHF952x**: FLAT Stranded Drop Cable
(C) **UHF951xM**: FLAT Solid Drop Cable

FTTx ROUND CABLE



- (A) **UHF930xR**: ROUND Distribution Cable
(B) **UHF950xR**: ROUND Stranded Drop Cable
(C) **UHF950xRA**: ROUND ARMORED, Solid Drop Cable

FTTx / FTTR DISTRIBUTION PANEL



- (A) **UF-4082A**: FDU 12-24F Slide, Rack Mount
(B) **UF-2255SM/APC**: 12SC Simplex Snap-In, SM/APC, 12F
(C) **UF-2266SM/APC**: 6SC Duplex Snap-In, SM/APC, 12F

FTTR DISTRIBUTION UNIT



- UFH3112**: FTTR DISTRIBUTION UNIT w/12 SC/APC & Pigtail
UFH3113: FTTR DISTRIBUTION UNIT w/24 SC/APC & Pigtail

FTTx / FTTR TERMINAL BOX & OUTLET



- UFH3002**: 4F, FTTR OUTDOOR TERMINAL Box w/ 2 SC / APC


FTTR SMART OUTLET



Super-S Series

- (A) **UFH3110**: FTTR SMART OUTLET 1 Port
(B) **UFH3111**: FTTR SMART OUTLET 2 Port
(C) **UFH3111A4**: FTTR SMART OUTLET 4 PORT

PIGTAIL for FTTR



Double Q Series

- (A) **UFP960S02-1.5** (0.9 mm)
(B) **UFP960S22-1.5** (2.0 mm) SC/APC Pigtail OS2 Simplex


FIBER OPTIC FTTH



- UFH3020**: FTTH PROFESSIONAL TOOL w/Power Meter

FTTR & F.O. TOOL & TESTER

FIBER OPTIC HORIZONTAL CLOSURE



- (A) **UF-3041**: 12 Core Horizontal Type Closure
(B) **UF-3042A**: 24 Core Horizontal Type Closure

FIBER OPTIC DOME CLOSURE



- (A) **UF-3022A**: 24 Core Dome Type Closure
(B) **SV-2252A-12**: Fusion Splice Protector Sleeve, OD. 2.5 mm

FIBER OPTIC FUSION SPLICES



- UF-2841**: F.O MINI ADVANCE SPLICES SET

FIBER OPTIC FUSION SPLICES



- UF-2842A**: F.O PROFESSIONAL SPLICES SET

FIBER OPTIC OTDR



- UF-2872**: F.O HANDHELD OTDR 100 km (1310/1550 nm)

FIBER OPTIC OTDR



- UF-2874**: F.O. PROFESSIONAL OTDR 100 km (1310/1550/1625 nm), Full Option

FIBER OPTIC POWER METER



- (A) **UF-2891**: F.O ADVANCE POWER METER
(B) **UF-2893**: F.O LIGHT SOURCE 850/1300 nm
(C) **UF-2894**: F.O LIGHT SOURCE 1310/1550 nm

FIBER OPTIC VISUAL FAULT LOCATOR



- UF-2883**: VISUAL FAULT LOCATOR for ST, SC, FC 7 km

RG 6 COAXIAL INDOOR



- (A) **CB-0106A** (Indoor, Black)
RG 6/U Cable, 95% Shield, Black Jacket
- (B) **CB-0106A-WH** (Indoor, White)
RG 6/U Cable, 95% Shield, White Jacket

RG 6 INDOOR w/POWER WIRE




- CB-0106AWA** (w/Power)
RG 6/U, 95% Shield, Black w/CCA Power Wire

RG 6 COAXIAL OUTDOOR



- CB-0106AP** (Outdoor)
RG 6/U Cable, 95% Shield, Black PE Jacket

RG 6 OUTDOOR w/MESSENGER



- CB-0106AM** (w/Messenger)
RG 6/U 95% Shield, Black PE w/Messenger
[500 M. / Roll]

RG 6 OUTDOOR w/POWER WIRE



- CB-0106APWA** (w/Power)
RG 6/U 95% Shield, Black PE w/CCA Power Wire

RG 6 OUTDOOR w/MESSENGER + POWER



- CB-0106AMWA** (Messenger+Power)
RG 6/U 95% Shield, Black w/Messenger & CCA Power)

RG 11 MAIN INDOOR




- CB-0111A** (White)
RG 11/U, 90% Shield, Indoor, White Jacket

RG 11 MAIN OUTDOOR



- CB-0111AP** (Black)
RG 11/U, 90% Shield, Outdoor, Black Jacket

RG FLEXIBLE COAXIAL




- (A) **CB-0106F** (Patch Cord)
Flex Stranded 75 ohm, White
- (B) **CB-0104F** (Elevator)
Flex Stranded 75 ohm, Black

MINI PANEL for COAXIAL




- US-2510A** (W 26 x D 6.0 x H 6.5 Cm.)
10 Port Mini PANEL w/Support Box

MODULAR RJ45 INSERT




- (A) **US-2204** (BNC)
(B) **US-2209** (F-Type)
(C) **US-2207A** (TV Socket)
(D) **US-2201** (Blank)
MODULAR RJ45 INSERT

BNC PLUG RG6 CONNECTOR



- (A) **UC-0026** (Crimp Type), RG 6
(B) **UC-0046** (Compression Water Proof), RG 6
(C) **UC-0036** (Female Crimp)
BNC JACK, RG 6

F-TYPE MALE RG6 CONNECTOR



- (A) **UC-0062** (Twist Type)
(B) **UC-0064** (Crimp Type)
(C) **UC-0066** (Compression Water Proof)
F-Type, Male Connector

BNC, TV, F-TYPE CABLE ASSEMBLY



- (A) **UC-7130-xx** (BNC to BNC)
(B) **UC-7120-xx** (F-Type to F-Type)
(C) **UC-7150-xx** (PAL TV to PAL TV)
(xx = 01, 03, 05 Meter)
Cable Assembly

COAXIAL CRIMP TOOL



- (A) **UC-8116A** (RG 6, RG59)
Crimp Tool BNC & F-Type & PAL of RG 6 & RG59
(B) **UC-8118A** (RG 11, RG58)
Crimp Tool BNC of RG 11 and RG 58

COAXIAL STRIPPING & COMPRESSION



- (A) **UC-8145** (Stripping Tool)
(B) **TC-2315** (Compression Tool)

TELEPHONE CABLE



[100' M. / Easy Box, 500' M. / Roll]

- UL-1022** TIEV 0.5 mm., 2C
- UL-1024** TIEV 0.5 mm., 4C
- UL-1032** TIEV 0.65 mm., 2C
- UL-1034** TIEV 0.65 mm., 4C

FIG 8 UTP DROP WIRE CABLE



[200' M. / Roll]

- UL-1102** (0.50 mm., 1 Pair)
 - UL-1112** (0.65 mm., 1 Pair)
- FIG 8 UTP DROP WIRE CABLE

JUMPER WIRE & FLAT CABLE



[10' M. / Easy Box]


- UL-0002** (24 AWG)
- Jumper Wire, White-Red 2C.
- UL-0044** (28 AWG)
- FLAT Telephone 4C Cable

TELEPHONE PATCH CORD



- US-8951** (RJ11-RJ11, 1 M.)
 - US-8952** (RJ11-RJ11, 2 M.)
 - US-8953** (RJ11-RJ11, 3 M.)
- TELEPHONE PATCH CORD

TELEPHONE PLUG & Hand Set



- (A) **UL-3011** RJ11 Telephone Plug
- (B) **UL-3004** Hand Set Plug

TELEPHONE RJ11 OUTLET



- (A) **UL-3016** (White)
- RJ11 Telephone OUTLET, Tool Free
- (B) **UL-3018** (White)
- RJ11 Telephone OUTLET

SHINY FACE PLATE




- (A) **US-2311** (White)
- FACE PLATE 1 PORT, SHINY
- (B) **US-2312** (White)
- FACE PLATE 2 PORT, SHINY

INDOOR PLASTIC BOX




- (A) **UL-7601** 30 Pair TC Box, w/BMF
- (B) **UL-7602** 50 Pair TC Box, w/BMF
- (C) **UL-7603** 100 Pair TC Box, w/BMF

TELEPHONE TERMINAL MODULE



- (A) **UL-4311** (10 Pair)
- CONNECTION MODULE
- (B) **UL-4321** (10 Pair)
- DISCONNECTION MODULE

LABEL



- (A) **UL-4601**
- Label Holder, Mount on Frame
- (B) **UL-4631**
- Hinged Label, Mount on Module

MAGAZINE and ARRESTER




- (A) **UL-5110**
- Telephone MAGAZINE 10 Pair, Empty
- (B) **UL-5317**
- 3 Pole ARRESTER with fail-safe
- (C) **UL-5411**
- Telephone MAGAZINE 10 Pair, Load Arrester

INSERTION TOOL



- UL-8802** (Connection & Cutting)
- INSERTION TOOL with Sensor

CROSS-CONNECT STEEL




- (A) **UL-6103** 30 Pair CABINET
- (B) **UL-6203** 60 Pair CABINET
- (C) **UL-6206** 120 Pair CABINET

STEEL CABINET, WALL MOUNT



- (A) **UL-6030** Cabinet for 1 x 3 pos. BMF
- (B) **UL-6111** Cabinet for 1 x 11 pos. BMF
- (C) **UL-6112** Cabinet for 2 x 11 pos. BMF

BACK MOUNT FRAME (BMF)



- (A) **UL-8201** BMF 1 Pos.
- (B) **UL-8203** BMF 3 Pos.
- (C) **UL-8206** BMF 6 Pos.
- (D) **UL-8211** BMF 11 Pos.

OUTDOOR / INDOOR PLASTIC BOX



- (A) **UL-7703** 30 Pair with BMF
- (B) **UL-7705** 50 Pair with BMF
- (C) **UL-7710** 100 Pair with BMF

NEW 19" GERMAN RACK, G3 Series



G3N-XXXXX (Acrylic Door)
NEW GERMAN CABINET RACK
15, 27, 36, 39, 42, 45U

NEW 19" GERMAN RACK, G4 Series



G4N-XXXXX (Server Rack)
NEW GERMAN SERVER RACK
15, 27, 36, 39, 42, 45U

NEW 19" GERMAN RACK, G8 Series



G8N-XXXXXB/DDB (Data Center Rack)
NEW GERMAN DATA CENTER RACK
27, 42, 45U

19" GERMAN WALL RACK, G1 Series



(A) **G1-60XXX** (3 Part)
NEW 19" GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)
(B) **G1-60XXXF** (Front Perforate)
NEW 19" GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)
(C) **G1-60XXXP** (Perforate Door)
NEW 19" GERMAN WALL RACK 6, 9, 12U
(D = 40, 50, 60 cm.)

19" WALL RACK OUTDOOR, G2 Series



G2-60XXXOUT (Outdoor)
19" GERMAN WALL RACK OUTDOOR
6, 9, 12U
(D = 40, 50, 60 cm.)

MINI STEEL BOX, G6 Series



G6-30030 / G6-30030B
MINI STEEL BOX 30 cm w/Shelf
(Gray / Black)


G6-40040 / G6-40040B
MINI STEEL BOX 40 cm w/Shelf
(Gray / Black)

19" GERMAN OPEN & TELECOM RACK




(A) **G0-600XX**
19" GERMAN OPEN RACK 27, 36, 42U
(B) **G0-619XX**
19" GERMAN TELECOM RACK 27, 36, 42U

AC POWER DISTRIBUTION




(A) **G7-00002** (2 TIS Outlet)
(B) **G7-00004** (4 TIS Outlet)
(C) **G7-00006** (6 TIS Outlet)
(D) **G7-00008** (8 TIS Outlet)
(E) **G7-00012** (12 TIS Outlet)
(F) **G7-00020** (20 TIS Outlet)

COMPONENT SHELF



(A) **G7-01025**
Front Fix Shelf Deep 25 cm.
(B) **G7-02045 / G7-02065**
Fix Shelf for RACK 60 cm / 80 cm
(C) **G7-03045 / G7-03065**
Slide Shelf for RACK 60 cm / 80 cm

HEAVY DUTY FAN



(A) **G7-05001** (1 x Ø4")
(B) **G7-05002** (2 x Ø4")
(C) **G7-05003** (3 x Ø4")



19" LINK TEMPERED GLASS RACK

19" LINK GLASS RACK



CH-XXXXXGS
19" LINK TEMPERED GLASS RACK
15, 27, 36, 42U

19" LINK GLASS-WAVE RACK



CH-XXXXXGW
19" LINK TEMPERED GLASS-WAVE RACK
15, 27, 42U

19" LINK CURVE-WAVE RACK



CH-XXXXXCW
19" LINK DATA CENTER
CURVE-WAVE RACK 15, 27, 42U

19" LINK WALL RACK



(A) **CW1-60XXXG** (Glass 40 cm), 1 Part
CW2-60XXXG (Glass 50, 60 cm), 2 Part
(B) **CW1-60XXXW** (Wave 40 cm), 1 Part
CW2-60XXXW (Wave 50, 60 cm), 2 Part
(C) **CW2-60XXXC** (Curve 50, 60 cm), 2 Part


FTR MAIN DISTRIBUTION FRAME RACK



CN-61142FTR


FTR MAIN DISTRIBUTION FRAME 42U .
Complete Set(FTR MDF w/ 2 Vertical
Management and Steel Base)

PDU (POWER DISTRIBUTION UNIT)




(A) **CH-10304A** (4 TIS Outlet)
(B) **CH-10306A** (6 TIS Outlet)
(C) **CH-10312A** (12 TIS Outlet)
(D) **CH-10320A** (20 TIS Outlet)

COMPONENT SHELF



(A) **CK-12250 / CH-12350**
Front Mount Shelf Deep 25 cm/35 cm
(B) **CK-20350 / CK-20550**
Fix Shelf for RACK 60 cm/80 cm
(C) **CK-40350 / CK-40550**
Slide Shelf for RACK 60 cm/80 cm

HEAVY DUTY FAN



(A) **CK-80104** (1 x Ø4")
(B) **CK-81204** (2 x Ø4")
(C) **CK-81304** (3 x Ø4")

10/100 F.O. MEDIA CONVERTER



- (A) **UT-0216E** (2 km.)
10/100 CONVERTER RJ45 to SC (mm)
(B) **UT-0216E-SM30** (30 km.)
10/100 CONVERTER RJ45 to SC (sm)

GIGABIT F.O. MEDIA CONVERTER




- (A) **UT-1300A** (Mini)
1000 Mbps MINI RJ45 to SFP Slot
(B) **UT-1310A** (Enhance)
10/100/1000 ENHANCE RJ45 to SFP Slot
(C) **UT-1310HA** (Hardened)
10/100/1000 HARDENED RJ45 to SFP Slot

INDUSTRIAL PoE GIGABIT SWITCH




- (A) **PS-1010** (1 PoE + 1 SFP, AC90W)
(B) **PS-1020** (2 PoE + 1 SFP, AC90W)
(C) **PS-1040T** (4 PoE + 1 RJ + 1 SFP, AC90W)
(D) **PS-1080** (4 PoE + 2 SFP, AC90W)

LITE MANAGED INDUSTRIAL PoE



- (A) **PS-3140** (4 PoE + 1 RJ, 1 SFP)
4-Port Lite Managed GIGABIT, AC90W
(B) **PS-3180** (8 PoE + 2 SFP)
8-Port Lite Managed GIGABIT, AC160W

1.25G SFP TRANSCEIVERS




- (A) **UT-901G-XX00**
(1.25G SFP SX MMF 850nm 550m)
(B) **UT-901G-XX10**
(1.25G SFP LX SMF 1310nm 10km)
(C) **UT-901G-XX20-BT35**
(1.25G SFP Bi-Di SMF 1310nm/1550nm 20km)
(D) **UT-901G-XX20-BR53**
(1.25G SFP Bi-Di SMF 1550nm/1310nm 20km)

10G SFP+ TRANSCEIVERS



- (A) **UT-910G-XX00**
(10G SFP+ SR MMF 850nm 300m)
(B) **UT-910G-XX10**
(10G SFP+ LR SMF 1310nm 10km)

25G SFP28 TRANSCEIVERS



- (A) **UT-925G-XX00**
(25G SFP28 SR MMF 850nm 100m)
(B) **UT-925G-XX10**
(25G SFP28 LR SMF 1310nm 10km)

40G QSFP+ TRANSCEIVERS



- (A) **UT-940G-XX00**
(40G QSFP+ SR4 MMF 850nm 150m)
(B) **UT-940G-XX10**
(40G QSFP+ LR4 SMF 10km)

XX is code of transceiver as requested

LC - LINK-Cisco

AL - Alcatel-Lucent

BC - Brocade

ET - Extreme

HM - Hirschmann

JP - Juniper

ZT - ZTE

HP - Hewlett Packard

AT - Arista

DL - Dell

FN - Fortinet

HW - Huawei

MN - Mellanox

AB - Aruba

AY - Aysa

ES - Ericsson

HC - H3C

IB - IBM

NK - Nokia

RS-422/485 IRF MEDIA CONVERTER



- UT-4206** RS-422/485 - SC (MM)
F.O. MEDIA CONVERTER, 2 km

- UT-4206SM-30** RS-422/485 - SC (SM)
F.O. MEDIA CONVERTER, 30 km

EoC (Ethernet over COAXIAL)




- PS-0122SET** (PS-0120T + PS-0121R)
1-Port FAST EoC w/PoE Converter w/Adapter

PoE INJECTOR and SEPARATOR



- (A) **PS-8613**
Gigabit PoE 30W Injector
(B) **PS-8721BLK**
PoE Cable Separator 9-24V

PoE SURGE PROTECTOR



- (A) **UT-8006** (Protector level 0)
(B) **UT-8010** (Protector level 1)
(C) **UT-8022** (Protector level 2)
(D) **UT-8088** (Protector level 3)

CCTV OUTDOOR CABINET



- UV-9002**
(H68 x W43 x D15.8 cm), IP 43

CCTV OUTDOOR CABINET



- UV-9010S**
(H68 x W43 x D25 cm), IP 43

CCTV OUTDOOR CABINET



- UV-9012H**
(H68 x W46.8 x D26.8 cm), IP 54
UV-9012H-SUS
(H68 x W46.8 x D26.8 cm), Stainless



Distributed by

